Sharp Innovators

PNEUMATIC DEFOLIATOR
FOR ORCHARDS

model
DFP500



bmv-italy.com

Sharp Innovators





GRAPHIC DISPLAY
combined with electric distributor

Electronic control of rotor speed, independent of variations in oil flow rate.



COMPRESSOR WITH 3-POINT CONNECTION FOR REAR LIFT

CONNECTIONS



FIXED CONNECTION



3-POINT CONNECTION

CONTROLS



SINGLE OR 2-LEVERS JOYSTICK COMBINED WITH ELECTRIC DISTRIBUTOR

DEFOLIATOR model DFP500





The new BMV pneumatic defoliator has been custom-developed for orchards, ensuring consistent production even in case of less favourable conditions.


ADVANTAGES

- suitable for use on any variety
- appropriate even for non-topped crops
- high performance, low consumption
- maximum precision with minimal aggression

Sharp Innovators

DEFOLIATOR model DFP500

INFORMAZIONI TECNICHE / Technical Information / Información técnica

MODELLO Model Modelo	A	WORK PRESSURE	PULSE PER MINUTE			
	cm	bar	N°	Kg	HP	L/min
DFP500 4 DISCS 	190	0,4-0,9	300-800	415	60	40
DFP500 4 DISCS 	240	0,4-0,9	300-800	425	60	40

bmv-italy.com

Strada Forcellini, 5 - 12051 - Alba (CN) - Italy
T. +39 0173 35450 - bmv@bmv-italy.com