

MECHANICAL THINNING MACHINE FOR ORCHARDS

model TH500A/B/E



bmv-italy.com






Our thinning machines are operating machines applied in front of tractor, equipped with hydraulic movements, to be adapted to any type of row. They consist of I or 2 working axles equipped with flexible and strong rubber flasks that allows to detach the weakest flowers without damaging those that remains on the branches.




ADVANTAGES

The mechanical thinning can be done on any kind of orchard and it allows to obtain bigger fruits, qualitatively better, without using chemicals. Costs and working time are considerably reduced, always ensuring excellent efficiency.

model TH500E



MECHANICAL THINNING model TH500A/B/E



INDEPENDENT HYDRAULIC TANKS and ACCESSORIES



40 LT. FIXED TANK



80 LT. Tank



JOYSTICK AND CONTROL BOX



CONSOLE WITH GRAPHIC DISPLAY



mechanical thinning model TH500A/B/E

MACHINE MODEL	WORKING LENGHT (cm)		MOTORS	HYDRAULIC MOVEMENTS			WEIGHT (Kg.)
	A	В	N°	LATERAL	ELEVATION	INCLINATIO N	
TH500A	220	-	I	220	OPTIONAL	INCLUDED	-
	250	-	Ι	225	OPTIONAL	INCLUDED	-
	280	-	Ι	230	OPTIONAL	INCLUDED	-
	310	-	I	235	OPTIONAL	INCLUDED	-
ТН500В	125	95	2	230	OPTIONAL	INCLUDED	-
	125	125	2	235	OPTIONAL	INCLUDED	-
	155	125	2	240	OPTIONAL	INCLUDED	-
	155	155	2	245	OPTIONAL	INCLUDED	-
TH500E							-

Machine complete with flasks, protection against accidents, hydraulic pipes, piston for bar inclination and electronic display for motor rotation control on TH500A; independent rotation control of the two motors on TH500B.

